## HP Color LaserJet Managed E85055 series



Maintain maximum productivity while printing exceptional color.

Print phenomenal color while maximizing uptime – now with original HP JetIntelligence toner technology. Expect consistently fast output, brilliant prints, and the world's strongest security.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP Color LaserJet Managed E85055dn

#### Work stands out with exceptional color performance

- Look professional with vibrant, high-quality color prints that can stand the test of time
- Get professional quality and performance with Original HP Toner cartridges and drums with JetIntelligence.
- Produce full-bleed A3 marketing materials by printing on SRA 3 paper and trimming down to size.

#### The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

#### Minimal interruptions. Maximum productivity.

- Long-life toner with Consumables Access Control helps reduce cpp and prevent early cartridge replacement.
- Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.
- Tailor this printer to help you meet the needs of your business with a wide range of paper-handling accessories.
- Grab pages and go. This HP LaserJet wakes up quickly and prints fast—up to 55/56, (letter/A4) ppm.<sup>2</sup>

#### Built with the environment in mind.

- Help save paper right out of the box. The duplex print setting is set at default paper savings mode.<sup>3</sup>
- Help reduce wasted paper, toner, and time by only printing the jobs that are needed with HP Roam for Business.

Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/printers.hatProtect. For more information: http://www.hp.com/go/printersecurityclaims

4 Wessured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

3 Dependent upon country setup specifications.

#### Product walkaround

- 1. 4.3-inch (10.9 cm) color graphics display with touchscreen
- 2. 500-sheet output bin
- 3. Consumable Access Control lock
- 4. Front door (access to JetIntelligence toner cartridges and imaging drums)
- 5. Fixed-size Cassette Guides
- 6. 550-sheet tray 2 supports media sizes up to 11.7 x 17 inches (297 x 432 mm)
- 7. Hardware Integration Pocket<sup>1</sup>
- 8. Easy-access USB port<sup>2</sup>
- 9. Upper-right door (access to print path)
- 10. Right door (access to the fuser and print path)
- 11. 100-sheet multipurpose tray 1 supports media sizes up to 12 x 18 inches (305 x 457  $\,$ mm) and SRA3
- 12. Automatic two-sided printing
- 13. 2 Hi-Speed USB 2.0 Host ports
- 14. Gigabit/Fast Ethernet 10/100/1000Base-TX network port
- 15. Hi-Speed USB 2.0 device port



### Series at a glance



Model	HP Color LaserJet Managed E85055dn
Product number	T3U66A
Print speed (letter/A4, black and color) <sup>3</sup>	Up to 55/56 pages per minute (ppm)
Automatic two-sided printing (default <sup>4</sup> )	√
100-sheet multipurpose tray 1 and 550-sheet tray 2	√
Locking Kit (Fixed-size cassette guides, imaging drum and ITB screws)	√
Optional 1x550-sheet paper tray	Add up to two
Optional stands: 2x550-sheet paper tray and stand 2,700-sheet HCl paper tray and stand HP LaserJet stand	Add up to one stand only
Input capacity (standard/maximum) <sup>5</sup>	Up to 650/4,450 sheets
Recommended monthly page volume <sup>6</sup>	Up to 50,000 pages
Managed Cartridge yields <sup>7</sup>	Black: ~37,500 pages; Color: ~35,000 pages
HP High-Performance Secure Hard Disk	Optional
Dual-band Wi-Fi® and Wi-Fi Direct <sup>8</sup>	Optional
NFC touch-to-print <sup>9</sup>	Optional

<sup>1</sup> Solutions deployed through the 2nd generation Hardware Integration Pocket (HIP2) may require additional purchase.
2 An administrator must enable the easy-access USB port before use.
3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
4 All Laser let Pro. Enterprise, Managed, and PageWide products with introductions before September 2019 will include consistent worldwide default duplex settings (across bundles/drivers); product introductions before September 2019 may have inconsistent default duplex settings across of viers.
3 Selection of optional paper-handling accessories required to reach maximum input capacity.
4 HIP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
5 Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details, see hp.com/go/learnaboutsupplies. Managed cartridges are not included with printer; please purchase separately.
5 Dual-band Wireless Station and Wi-F Direct functionality is optional and can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A).
5 NFC touch-to-print is optional and can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A).
5 NFC touch-to-print is optional and can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A).
5 NFC touch-to-print is optional and can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A).
5 NFC touch-to-print is optional and can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A).
5 NFC touch-to-print is o

#### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













#### Top features

Designed for superb color output, HP LaserJet Enterprise M856 printers with HP JetIntelligence toner produce amazing quality output. Print high quality, premium marketing materials and professional documents with consistently brilliant color.

HP printers have the industry's strongest security because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Help run your business efficiently, maximize uptime, lower service costs. With HP LaserJet enterprise printers, there's minimal interruptions to workflow. Get peak performance with a streamlined printer designed to keep up with the pace of business.

Support your business' environmental initiatives with printers designed to use energy efficiently.

# Accessories 2MU47A 2NR09A 2NR12A 3JN69A 4QL32A 5EL03A B5L29A B5L29A B5L29A B5L31A CC543B E5K48A E5K48A T3V27A T3V27A T3V29A T3V30A X3D03A Y7C05A

#### Supplies

W9010MC	HP Black Managed LaserJet Toner Cartridge (~37,500 pages)
W9011MC	HP Cyan Managed LaserJet Toner Cartridge (~35,000 pages)
W9012MC	HP Yellow Managed LaserJet Toner Cartridge (~35,000 pages)
W9013MC	HP Magenta Managed LaserJet Toner Cartridge (~35,000 pages)
W9018MC	HP Managed LaserJet Imaging Drum (~75,000 pages, universal for all 4 colors)
3WT89A	HP LaserJet 3WT89A Transfer Kit (Up to 150,000 pagesUp to 150,000 pages)
3WT90A	HP LaserJet 3WT90A Toner Collection Unit (Up to 90,000 pagesUp to 90,000 pages)
4YL16A	HP Laser let 110V Fuser Kit

UC2Z0E - HP 4y NBD w/DMR CLJ E85055 MNGD SVC
UC2Z1E - HP 5y NBD w/DMR CLJ E85055 MNGD SVC
UC2Z2E - HP 3y 4h 9x5 w/DMR CLJ E85055 MNGD SVC
UC2Z3E - HP 4y 4h 9x5 w/DMR CLJ E85055 MNGD SVC
UC2Z4E - HP 5y 4h 9x5 w/DMR CLJ E85055 MNGD SVC
UC2Z5E - HP 3y ChnlPartsOnly CLJ E85055 MNGD SVC
UC2Z6E - HP 4y ChnlPartsOnly CLJ E85055 MNGD SVC
UC2Z7E - HP 5y ChnlPartsOnly CLJ E85055 MNGD SVC
UC2Z8PE - HP 1y PW NBD w/DMR CLJ E85055 MNGD SVC
UC2Z9PE - HP 2y PW NBD w/DMR CLJ E85055 MNGD SVC
UC3A0PE - HP 1y PWw/DMR 4h 9x5 CLJ E85055 MNGD SVC
UC3A1PE - HP 2y PWw/DMR 4h 9x5 CLJ E85055 MNGD SVC
UC3A2PE - HP1yPW ChnlPartsOnly CLJ E85055 MNGD SVC
UC3A3PE - HP2yPW ChnlPartsOnly CLJ E85055 MNGD SVC
U9JT3E - HP Inst SVC w/nw Department Printer

UC2Y9E - HP 3y NBD w/DMR CLJ E85055 MNGD SVC

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/printers hatProtect. For more information: http://www.hp.com/go/printersecurityclaims

2 Measured using ISOI/IEC 24734, excludes first set of fest documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

3 Dependent upon country setup specifications.

#### HP Color LaserJet Managed E85055 series

Post control (1997)  The standard of the stand	Model	HP Color LaserJet Managed E85055dn
Port Sec. 19.  The sec. 20. 1. Per 19.		
Fine transport (1997)  The planes of uniform is all and 20 are (flower, file and 20 are (flower) filed and 20 are (flower)		
Print general Control		
Perspective devices AS to the 15 person of the control of the cont	D-i-4	First page out Letter: As fast as 5.9 sec Black: As fast as 6.3 sec Color: First page out A4: As fast as 5.9 sec Black: As fast as 6.3 sec Color: Letter: Up to 55 ppm Black: Up to 55 ppm Color: A4: Up to 56 ppm Black: Up to 55 ppm Color: A4: Up to 56 ppm Black: Up to 56 ppm Black: Up to 56 ppm Black: Up to 55 ppm Color: A4: Up to 56 ppm Black:
Care feetings in 1901; 170 one of Care f		Print speed (Landscape, A5): Up to 35 ppm Black; Up to 35 ppm Color
Printer parts schamber  Printer partschamber  Printer parts schamber  Printer parts schamber  Printer		<b>Color (best):</b> Up to 1200 x 1200 dpi; <b>Color (normal):</b> Up to 600 x 600 dpi; <b>Color (fine lines):</b> Up to 1200 x 1200 dpi
Secretar for transpage.  Secretar for transpag		
Process greater of the process of th		
Seatores    Provided Composition Control Contr	. 55	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™, Google Cloud Print
Survival (Configuration UBID), Other Delignment UBID, Name Option of the UBID (Name Option Opti	features	
Standard connectivity  Well-should personal real feed better the first expended personal product of any standard personal product of the prod	SureSupply	HP Device Toolbox; HP JetAdvantage Security Manager; HP Printer Assistant; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver: Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator/ No
Nemonic Capabilities  New, visit Plustified Chiment end included point server file landardill with a appoint. 1006mc-1 (1006mc-1) (1		
Software in the control of the control (second Ethernet port footboom)  Optional, second Ethernet port footboom)  Optional Second Ethernet port footboom (second Ethernet Second Et	Standard connectivity	
Animative controlling and above with the Bednet of 1000 and EURINET Winners According State (AM) (Comparison of the Comparison of the Comp	Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional), second Ethernet port (optional)
Standard 1.5 (SR, Mediman 1.5 (SR)   Forestorm 1.	Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 2900nw Print Server J8031A
Processor speed  1. 2 (For 15 to to 2951) 10 (apace) 40	Mobile printing capability <sup>9</sup>	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified; ROAM capable for easy printing
Duby code (minorithy) <sup>16</sup> Letter: Us to 25,0000 pages, ARL Us to 25,0000 pages, Recommended membry page volume <sup>16</sup> -Up to 5,0000  Poper handling  Standard Sign On the multipurpose tray, 1500 pages, 1500 pages and 1500 pages of the page of the pag		Standard: 1.5 GB; Maximum: 3.5 GB
Piper handing  Total  100 Sheet multipurpose tray, SSS-sheet input fray, Up to SSS sheets (80 gim* paped Sandard  During  Sandard 200 sheet acquired.  Automatic Standard paper from the Standard Transparencies: Up to 500 sheets  During College College Standard (100 sheet)  Automatic Standard paper from the Standard (100 sheet)  Provided Standard (100 sheet multipurpose tray (100 sheet)  During College Standard (100 sheet)  Provided Standard (100 sheet multipurpose tray (100 sheet)  During Standard paper from the Provided Standard (100 sheet)  During Standard (100 sheet multipurpose tray (100 sheet)  During Standard (100 sheet multipurpose tray)  During Standard (100 sheet mul		1.2 GHz / Storage <sup>1</sup> : 16 GB eMMC / Hard disk: Optional 500 GB HDD: HP Secure High Performance Hard Disk drive 500 GB BSL29A; HP TAA Version Secure Hard Disk Drive 5EL03A
Dockment multipurpose tray, 500 otheret multipurpose tray, 500 otheret standard, Transparencies, Up to 500 sheers.   Dockment Company to the Company to the Company to the Company to the Company of th	Duty cycle (monthly)14	Letter: Up to 250,000 pages; A4: Up to 250,000 pages; Recommended monthly page volume <sup>15</sup> : Up to 50,000
Standard 200 where capture (%) to 19 000 sheets Standard, Transparencies (b) to 50 sheets Davies Options Automatic Estandard Development Automatic Estandard Development Automatic Estandard Development Automatic Estandard Development D	Paper handling	
Duples Options  Automatic blandwidt  Freedome Needome  No.  Sandwidt giper trays  Pere plain, have, etch heavy, glossy, light, recycle, tought, e-welepes, labels, glossy firm, condotod, transparencies  Media pages  Pere plain, have, etch heavy, glossy, light, recycle, tought, e-welepes, labels, glossy firm, condotod, transparencies  Media pages  Pere plain, have, etch heavy, glossy, light, recycle, tought, e-welepes, labels, glossy firm, condotod, transparencies  Media pages  Pere plain, have, etch heavy, glossy, light, recycle, tought, e-welepes, labels, glossy firm, condotod, transparencies  Media pages  Pere plain, have, etch heavy, glossy, light, recycle, tought, e-welepes, labels, glossy firm, condotod, transparencies  Media pages  Pere plain, have, etch heavy, glossy, light, recycle, tought, e-welepes, labels, glossy firm, condotod, transparencies  Media pages  Letter, Letter, E. Legal, Executive, 8.5 x 13, 11 x 17	Input	100-sheet multipurpose tray, 550-sheet input tray; Up to 650 sheets (80 g/m² paper) Standard
Envision Freedom  Mod Suppor  Pager (plain; heavy, etch heavy, glossy, light, recycle, tough), envelopes, labels, glossy firm, cardisclock, transparencies  Media suppor  100 - Pager (plain; heavy, etch heavy, glossy, light, recycle, tough), envelopes, labels, glossy firm, cardisclock, transparencies  Media suppor  100 - Pager (multipurpope Tray 1; 15 to 100 H, 505 - Hose S HD, Optional 1550 and 25-50 tray and stand; 16 to 68 Hb, Optional 1550 and 25-50	Output	Standard: 500-sheet output bin; Up to 500 sheets Standard; Transparencies: Up to 50 sheets
Sandard spiret says  Page (plain; heavy, etch heavy, glossy, light, recycle, tough), ewelopes, labels, glossy film, cardistock, transparencies  Media spires  100-sheet multipurpose Tay 1: 15 to 80 lb, 550-sheet input Tay 2: 16 to 88 lb, glotrowil 3:509 and 2:550 tray and stand. 16 to 88 lb, glotrowil 2:700-sheet HIG pager tray and stand. 16 to 88 lb, glotrowil 2:700-sheet HIG pager tray and stand. 16 to 88 lb, glotrowil 2:700-sheet HIG pager tray and stand. 16 to 88 lb, glotrowil 2:700-sheet HIG pager tray and stand. 16 to 88 lb, glotrowil 2:700-sheet HIG pager tray and stand. Letter  Letter, Letter, R. Letter, R. Legal, Executive,	Duplex Options	Automatic (standard)
Media septist  Description (1997)  Description	Envelope feeder	No No
Media sizes  100-sheet multipuppee Tray 1: 16 to 80 lb 0,550-sheet input Tray 2: 16 lb 0,550-sheet Input Tray 2: 18 lb 1,7 x 8.5 in 17 x 7 lb 0,550-sheet Input Tray 2: 18 lb 1,7 x 8.5 in 17 x 8.5 in 18 x 8.5	Standard paper trays	2
Media sizes  100-sheet multipuppee Tray 1: 16 to 80 lb 0,550-sheet input Tray 2: 16 lb 0,550-sheet Input Tray 2: 18 lb 1,7 x 8.5 in 17 x 7 lb 0,550-sheet Input Tray 2: 18 lb 1,7 x 8.5 in 17 x 8.5 in 18 x 8.5	Media types	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies
Letter, Letter-R. Lepia, Dexcutive, 8.5 x 13, 11 x 17 in; Optional 1x50 and 2x505 tray and stand: Letter. Letter-R. Lepid, Executive, 8.5 x 13, 11 x 17 in; Optional 1x505 and 2x505 tray and stand: 58 x 5.8 to 12.6 x 18 in; Optional 2700-sheet HUDpupper tray and stand: 11 x 8.27  Dimensions (w x d x h) <sup>2</sup> 21 89 x 24.02 x 2x 37 ft, 75 56 x 610 x 520 mm; Maximum; 36.26 x 24.02 x 23.54 in; 921 x 610 x 590 mm  Walph <sup>3</sup> 115.3 ltt; 52.3 ltg 115.3 lt		100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, Optional 1x550 and 2x550 tray and stand: 16 to 68 lb, Optional 2700-sheet HCl paper tray and stand: 16 to 68 lb
to 11.7 x 8.5 in Pimersions (w x x k h)*  2 18.9 x 24.0 x 20 x 20 x 1 in 556 x 610 x 520 mm, Maximum: 36.25 x 24.0 z x 23.5 in y 21 x 610 x 590 mm  What's in the box*  115.3 lbs 52.3 in Pimersions (w x x k h)*  12 18.9 x 24.0 x 20 x 10 ms. 2 ms.	Media sizes	100-sheet multipurpose Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in, 12 x 18; Optional 2700-sheet HCl paper tray and stand: Letter
WatS in the box?  In 15.3 lbs cs 2.3 kg WhatS in the box?  WhatS in the box?  WhatS in the box?  In 15.3 lbs cs 2.3 kg WhatS in the box?  WhatS in	Media Sizes Custom	100 - sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in; 550-sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in; Optional 1x550 and 2x550 tray and stand: 5.8 x 5.8 to 12.6 x 18 in; Optional 2700-sheet HCI paper tray and stand: 11 x 8.27 to 11.7 x 8.5 in
Wat's in the box <sup>2</sup> Proford Laser let Managed EBROSS Printer HP Black Original Laser let Toner Cartridge (~15,000 pages). HP (yan, Magenta and Yellow Original Laser let Toner Cartridges (~13,000 pages each), and 4 HP Original Laser let Imaging Duriner (~5,000 pages). W9017MC HP Black Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (~35,000 pages). W9017MC HP Vellow Managed Laser let Toner Cartridge (	Dimensions (w x d x h)4	21.89 x 24.02 x 20.47 in; 556 x 610 x 520 mm; <b>Maximum</b> : 36.26 x 24.02 x 23.54 in; 921 x 610 x 590 mm
Drums (~75,000 pages each color), Getting started Guide; Locking Kir (Fixed-size cassette guides, and manging drum and ITB screwis). I Power cord  Replacement cartridges  Minimum system early control pages and color), Getting started Guide; Locking Kir (Fixed-size cassette) and cartridge (~35,000 pages). W9012MC HP Yellow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC HP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC MP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC MP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC MP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC MP Wallow Managed Laser let Toner Cartridge (~35,000 pages). W9013MC MP Wallow Managed Las	Weight <sup>5</sup>	115.3 lb; 52.3 kg
HP Magenta Managed Laser Jet Toner Cartridge (~35,000 pages), W901 BMC HP Managed Laser Jet Imaging Drum (~75,000 pages, universal for all 4 colors)  Warranty Features  Deep vast next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp. com/support to learn about HP award winning service and support options in your region. (Warranty Code 4G; Warranty ID A001)  Peregy affectives compliance?  Energy affectives compliance?  Energy affectives compliance?  ENERGY STAR® qualified, EPEAT® Silver, CECP  Control panel  4.3-in IR-outh panel with home button  Display  4.3-in IR-outh panel with home button  No software solutions are included in the Box only on http://hp.com, http://123.hp.com  Fonts and typefaces  On Software included  No software solutions are included in the Box only on http://hp.com, http://lp.com.  To Sinternal TrueType forms scalable in HP PCL, Barcrode font variants (Code 39, 12 of 5, UPCENA, Code 126, OCR-A/OCR-B), 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in): 1 internal Unicode Font And More More More More More More More More	What's in the box <sup>3</sup>	HP Color LaserJet Managed E85055 Printer; HP Black Original LaserJet Toner Cartridge (~16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~13,000 pages each), and 4 HP Original LaserJet Imaging Drums (~75,000 pages each color); Getting started Guide; Locking Kit (Fixed-size cassette guides, and imaging drum and ITB screws); 1 Power cord
and support options in your region. (Warranty ID A001)  Energy star certified  Energy star certified  Energy star certified  Energy star fiction panel  4.3-in IR-touch panel with home button  Bipslay  4.3-in (IR-touch panel with home button  Bipslay	Replacement cartridges <sup>8</sup>	W9010MC HP Black Managed LaserJet Toner Cartridge (~37,500 pages); W9011MC HP Cyan Managed LaserJet Toner Cartridge (~35,000 pages); W9012MC HP Yellow Managed LaserJet Toner Cartridge (~35,000 pages); W9018MC HP Managed LaserJet Imaging Drum (~75,000 pages, universal for all 4 colors)
Energy efficiency compilance? Control panel  4.3-in [18-20 cm] panel with home button  Display  4.3-in [18-20 cm] color Graphics Display (GGD) with touchscreen; rotating (adjustable angle)  Software included  No software solutions are included in the Box only on http://hp.com, http://lp.com, http://lp.com, http://lp.com, http://lp.com, http://lp.com, http://lp.com, http://lp.com/ph.com/dripper.) zinternal True Type fonts scalable in HP PCL, Barcode font variants (Gode 39, 12 of 5, UPC/ENA, Code 128, OCR-A/OCR-B), 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Font (Andale Mono World/Type). Zinternal Windows Visite a Bronts (Calibria, Gambria); additional font solutions available via third-party flash memory cards; HP Laser/Jet Fonts and IPDS Emulation available at hp.com/go/laser/Jetfonts  Compatible operating systems with the provided operating systems go the provided operating systems of the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported Operating Systems of the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported Operating Systems section; UPD PCL6 / PS Printer Drivers; Ps Pri	Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (Warranty Code 4G; Warranty ID A001)
Control panel   4.3-in IR-touch panel with home button	Energy star certified	Yes
Display	Energy efficiency compliance <sup>2</sup>	ENERGY STAR® qualified; EPEAT® Silver; CECP
Software included  No software solutions are included in the Box only on http://hp.com, http://h	Control panel	4.3-in IR-touch panel with home button
Fonts and typefaces  105 internal TrueType fonts scalable in HP PCL, Barcode font variants (Code 39, 12 of 5, UPC/ENA, Code 128, OCR-A/OCR-B), 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Font (Aendale Mono WorldType); 2 internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via bridge and a second for the supported operating systems will will own will be the product of the post	Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)
(Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available with bird-party flash memory cards; HP Laser let Fonts and IPDS Emulation available at http://comports.pdf (Cambria); 2 Windows Client OS (23/Eda htt); WinTo Winse); 1 Windows Client OS (23/Eda htt); WinTo Winse); 2 Windows Client OS (23/Eda htt); WinTo Winse); 2 Windows Client OS (23/Eda htt); WinTo Winse); 3 Windows Client OS (23/Eda htt); WinTo Winse); 4 Windows Server (2018); 5 Windows Server (2018); 6 Windows Server (2018); 6 Winse); 5 Windows Server (2018); 6 Windows Server (20	Software included	No software solutions are included in the Box only on http://hp.com, http://i23.hp.com
PCLG Printer Driver. For more information on the supported operating systems go to http://buport.hp.com, Enter your product name and search, Click on User Guides search for the Supported Operating systems section; UPD PCLG / PS Printer Drivers. For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating systems section, UPD PCLG / PS Printer Drivers. For more information on the supported operating systems see www.hp.com/gol/upd  Windows Server 2008 R2 64-bit. Windows Server 2018 R2 64-bit, Windows Server 2018 R2 (Clirix Server 6.5, Clirix XerApp & XenDesktop 7.6, Novell Print server; "Clirix Ready Nti Certification: Up to Clirix Server 7.18 for more information see http://fixeredopers.dp.com/hp-linus-imaging-and-printing; Uhis For more information see http://fixeredopers.pp.com/hp-linus-imaging-and-printing; Uhis For more information on the supported operating systems for the Supported Operating systems on http://support.pp.cm/hp-com/gol/unixmodelscripts, Linux-For more information see http://supported.pp.cm/hp-com/gol/unixmodelscripts, Linux-For more information see http://supported.pp.cm/hp-com/gol/unixmodelscripts, Linux-For more information on the supported operating systems see www.hp.com/gol/unixmodelscripts, Linux-For more information on the supported operating systems see www.hp.com/gol/unixmodelscripts, Linux-For more information on the supported operating systems see www.hp.com/gol/unixmodelscripts, Linux-For more information on the supported operating systems see www.hp.com/gol/unixmodelscripts, Linux-For more information on the supported operating systems see www.hp.com/gol/unixmodelscripts, Linux-For more information on the supported operating systems see www.hp.com	Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, Barcode font variants (Code 39, 12 of 5, UPC/ENA, Code 128, OCR-A/OCR-B), 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
Cluster 2012 R2; Terminal server 2008 R2; Remote Desktop server 2012 R2; Citrix Server 6.5; Citrix XenApp & XenDesktop 7.6; Novell iPrint server; "Citrix Ready Kit Certification: Up to Citrix Server 7.18 for more information see http://divelopers.hp.com/hp-linux-inaging-and-printing; Unix Cor more information see http://divelopers.hp.com/hp-linux-imaging-and-printing; Unix Cor more information see http://hp.com/go/unixmodelscripts; Linux-Cor more information see http://hp.com/go/unixmodelscripts; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://developers.hp.com/hp-linux-imaging-and-printing; Unix-Cor more information on the supported operating systems for User Guide, Search for Vaser Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems see etunix. PD PCL6 / PS Printer Drivers; Supported Operating Systems see etunix. PD PCL6 / PS Printer Drivers, Supported Operating Systems see etunix. PD PCL6 / PS Printer Drivers, Supported Operating Systems see etunix. Power set of the Supported Operating Systems see evulvally. Corning/Opud  PC2 GB available hard drive space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com;  Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com  Power supply type: Built-in 115 vor 2 20V Power Supply; Power supply required: Input voltage: 100 V to 127 V nominal (+/- 3 Hz), 6.4; Power consumption ft. 870 wasts (printing), 77 watts (Ready), 0.7 watts (Sleep), 0.7 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Auto-O		Windows Client OS (32/64 bit): Win10, Win8.1, Win7 Starter Edition SP1, UPD Win7 Ultimate; Mobile OS: iOS, Android; Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Mac: Apple® macOS Catalina v10.15; Discrete PCL6 Printer Driver: For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guide, Search for User Guide, Search for User Guide, Search for User Guide, Search for User Search Se
requirements Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com  Power supply type: Bulti-in 115V or 220V Power Supply; Power supply required: Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 6 A; Power consumption (TEO number: 2.669  Acoustics  Acoustic operating environment  Operating emperature range: 50 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH  Management security: SNMPV3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall will		Cluster 2012 R2; Terminal server 2008 R2; Remote Desktop server 2012 R2; Citrix Server 6.5; Citrix XenApp & XenDesktop 7.6; Novell iPrint server; "Citrix Ready Kit Certification: Up to Citrix Server 7.18 for more information see http://fbc.com/go/unixmodelscripts; Linux: For more information see http://fbc.com/go/unixmodelscripts; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://sp.com/go/unixmodelscripts; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://sp.com/go/unixmodelscripts; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search for the Supported Operating Systems
Power? nominal (-/- 3 Hz), 6, at Power consumption®, 870 watts (printing); 77 watts (Ready), 0.7 watts (Sleep), 0.7 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off); Typical electricity consumption (TEC) number: 2.669 kWh/Week (Blue Angel); 0.725 kWh/Week (Electricity consumption (TEC) number: 2.669 kWh/Week (Blue Angel); 0.725 kWh/Week (Electricity consumption (TEC) number: 2.669 kWh/Week (Blue Angel); 0.725 kWh/Week (Electricity consumption (TEC) number: 2.669 kWh/Week (Blue Angel); 0.725 kWh/Week (Electricity consumption (TEC) number: 2.669 kWh/Week (Blue Angel); 0.725 kWh/Week (Blue Angel); 0.7		
Acoustics Acoustic power emissions: 6.8 B(A)  Operating emirorment Operating temperature range: 50 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH  Society management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with the service of the service	Power <sup>7</sup>	nominal (+/- 3 Hz), 6 A; Power consumption <sup>6</sup> : 870 watts (printing), 77 watts (Ready), 0.7 watts (Sleep), 0.7 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off); Typical electricity consumption (TEC) number: 2.669
Operating environment Operating temperature range: 50 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH Society and appropriate temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80°F; Recommended operating humidity range: 30 to 80°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80°F; Recommended operating humidity range: 30 to 80°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80°F; Recommended operating humidity range: 30 to 80°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°K; RH; Recommended operating humidity range: 30 to 80°F; Recommended operating h	Acoustics	
Scruith management Security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with the property of the prope		Operating temperature range: 50 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to
	Security management	Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WIA-10 IPsec Configuration using IPsec Plug-in

- 1 Optional 500 GB Hard Disk
  2 EPEAT\* registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
  3 Standard cartridges included; yields 16,000 black and 13,000 color composite (C/M/Y) pages. Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
  4 With no accessories and multi-purpose tray closed
  5 With print cartridges
  6 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
  7 BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star version 2.0 TEC. Energy Star version 2.0 TEC. Energy Star version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star version 2.0 TEC value to the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star version 2.0 TEC value version 3.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star version 2.0 TEC. Energy Star version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC values before a version of the product warranty energy Star Version 3.0 TEC is not comparable to Ene

#### To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

