HP LaserJet Managed E50145 series

Handle business solutions securely, plus help conserve energy with HP EcoSmart toner

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer vou can relv on.⁸

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds



HP LaserJet Managed E50145dn

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

Low costs, low energy use

- Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.⁸
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.²
- Enhanced energy savings —up to 29% over prior products, plus save with Auto-on/Autooff technology.
- This printer fits in tight places to boost performance in almost any workspace.

Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin⁵—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.⁴

Enhanced productivity keeps business moving

- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.⁷
- Easily print from a variety of smartphones and tablets—generally no setup or apps required. ⁶
- Don't wait for documents. Print your first page in as little as 5.9 seconds from energyefficient sleep mode.

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information. http://www.hp.com/go/PrintersSeurityClaims
² HJA vice On/Auto-Off Technology capabilities are subject to printer and settings.
³ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
⁴ HP Web Istantin is available for download at no additional charge at http://www.hp.com/go/securitymanager
⁶ HP JedAvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
⁶ Wreless operations are compatible with 2.4 CHz operations only. Appr or software and HP eprint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth⁸ Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
⁸ Based on HP testing using the ENERGY STAREP programs "Stypical Electricity Consumption (TEC) method or as reported in energystar gov as of May 2019. Actual results may vary. HP testing is based on using the default Sleep Timer setting for all products and using the Network port. Default Sleep Timer setting longer than the default value can increase TEC.

Product walkaround



1. 2nd generation Hardware Integration Pocket¹ 2. Easy-access USB port² 3. Top cover release button

4. 100-sheet multipurpose tray 1 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)

5. 4.3-inch (10.9 cm) color touchscreen

6. 250-sheet output bin

- 7. Top cover (access to JetIntelligence toner cartridge)
- 8. Automatic two-sided printing

9. 550-sheet input tray 2 supports media sizes up to 8.5 x 14 inches (216 x 356 mm) 10. Slot for cable-type security lock

- 11. Gigabit Ethernet, Host USB port
- 12. Hi-Speed USB 2.0 printing port
- 13. USB port for connecting external USB devices



Series at a glance

Model	HP LaserJet Managed E50145dn
Product number	1PU51A
Print speed (black) ³	Up to 45/43 pages per minute (ppm) (letter/A4)
First page out (from ready) ⁴	As fas as 5.9/5.9 seconds (letter/A4)
Automatic two-sided printing	√
100-sheet multipurpose tray 1, 550-sheet input tray 2	√
Optional 550-sheet paper tray	Add up to three
Optional printer cabinet	Add up to one
Input capacity (standard/maximum ⁵)	Up to 650/2,300 sheets
Recommended monthly page volume ⁶	2,000 to 15,000 pages
Managed Cartridge yield	Black: ~23,000 pages
Optional wireless direct printing/NFC touch-to-print ⁹	\checkmark

⁶ Recommended windling Page volume, ne recommends of a tree names of prince pages per monore when ne successing to openantice mended in prince pages per monore when ne successing to openantice mended in prince pages per monore when ne successing to openantice mended in prince pages per monore when ne successing to openantice mended in prince pages per monore when ne successing to openantice.
⁷ Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. HP Managed Cartridges are not included in printer purchase; purchase separately.
⁸ Wireless networking requires purchase of the HP Jetdirect 2000nw Print Server. Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.
⁹ Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Laser Jet Managed E50145dn printer comes with a second-generation HIP.
An administrator must enable the easy-access USB port before use.
Messured using IS/UEC 174734, excludes first set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Messured using IS/UEC 17629. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, driver, and document complexity.
Purchase of optional paper trays required to reach maximum input capacity.
Recommended Monthly Agae Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty recommended Monthly Agae Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty excercise.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc

Top features

HP printers have the industry's strongest security¹ because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business

Easy-to-use features, fast print speeds, and simple mobile printing options help you keep up with the speed of business.

Accessories	
2MU47A 2NR12A 3JN69A 4QL32A 5EL03A B5L28A B5L29A	HP Accessibility Assistant HP Removable Hard Drive Enclosure HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP Legic Secure USB Reader HP TAA Version Secure Hard Disk Drive HP Internal USB Ports HP Hidh-Performance Secure Hard Disk
E20720	HD Lacor lot EEO, choot Dapor Trav

2MU47A 2NR12A 3JN69A 4QL32A 5EL03A B5L28A B5L29A F2A72A F2A72A F2A73A G6W84A J8030A X3D03A re Hard Disk HP LaserJet 550-sheet Paper Tray HP LaserJet Printer Cabinet HP 1 GB 90-pin DDR3 DIMM HP Jetdirect 3000w NFC/Wireless Accessory HP Universal USB Proximity Card Reader HP HIP2 Keystroke Reader X3D03A Y7C05A

Services

UB7E7E - HP 3 years Next Business Day w/DMR LaserJet Enterprise E50145 MNGD SVC UB7E8E - HP 4 years Next Business Day w/DMR LaserJet Enterprise E50145 MNGD SVC UB7E9E - HP 5y Next Business Day w/DMR Laser Jet Enterprise E50145 MNGD SVC UB7F0E - HP3 years 4 hours 9x5 w/DMR LaserJet Enterprise E50145 MNGD SVC UB7F1E - HP 4 years 4 hours 9x5 w/DMR LaserJet Enterprise E50145 MNGD SVC UB7F2E - HP 5 years 4 hours 9x5 w/DMR LaserJet Enterprise E50145 MNGD SVC UB7F3E - HP3 years Chnl Parts Only Laser Jet Enterprise E50145 MNGD SVC UB7F4E - HP 4 years Chnl Parts Only LaserJet Enterprise E50145 MNGD SVC UB7F5E - HP 5 years Chnl Parts Only LaserJet Enterprise E50145 MNGD SVC





mopria

Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wish http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
High Vield Black Original Laser let Toner Cartridges not included; please purchase separately
HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
HP dub Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
HP JetAdomatog Security Manager must be purchased separately. To learn more, please visit.http://www.hp.com/go/securitymanager
Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
To rable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth* Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/mobileprinting
Based on HP testing using the ENRGY STARP programs "Typical Electricity Consumption (TEC) method or as reported in energystar.gova sof May 2019. Actual results may vary. HP testing is based on using the default Sleep Timer setting longer than the default value can increase TEC.

Mor

HP LaserJet Managed E50145 series HD Lacor lot Managod E50145

Model	HP LaserJet Managed E50145dn
Product number	1PU51A
Print	
Print speed ^{8,9} ,	First page out Letter: As fast as 5.9 sec Black; First page out A4: As fast as 5.9 sec Black; Letter: Up to 45 ppm (default); Up to 52 ppm (HP High Speed) Black; A4: Up to 43 ppm (default); Up to 50 ppm (Hp High Speed) Black; Print speed (Landscape, A5): Up to 65 ppm Black
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi
Print technology	Laser; Print resolution technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200
Print cartridges number	1 (black)
Standard print languages	HP PCL 6, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Printer management / HP SureSupply	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)/ No
Connectivity	
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network
Network capabilities	HP Jetdirect 2900nw Print Server J8031A, HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 3100w BLE/NFC/Wireless
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 2000nw Print Server J8031A
Mobile printing capability ⁴	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM capable for easy printing
Memory	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1 GB Accessory DIMM is installed
Processor speed	1.2 GHz / Storage: 8 GB eMMC / Hard disk: Optional, 500 GB minimum encrypted hard disk drive
Duty cycle (monthly) ⁵	Letter: Up to 150,000 pages; A4: Up to 150,000 pages; Recommended monthly page volume ⁶ : 2000 to 15,000
Paper handling	
Input	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing; Up to 650 sheets Standard
Output	Standard: 250-sheet output bin; Up to 250 sheets Standard; Transparencies: Up to 75 sheets
Duplex Options	Automatic (standard)
Envelope feeder	No
Standard paper trays	2
Media types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined
Media weight	Tray 1: 16 to 53 lb; tray 2+: 16 to 32 lb
Media sizes	Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Automatic Duplexer: letter, legal, 8.5 x 13 in
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in
Dimensions (w x d x h)	16.46 x 14.80 x 12.83 in; 418 x 376 x 326 mm; Maximum : 16.46 x 25.16 x 12.83 in; 418 x 639 x 326 mm
Weight ²	25.5 lb; 11.48 kg
What's in the box ¹	HP Laser Jet Managed E50145dn Printer; Regulatory flyer; Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/ phone number list
Replacement cartridges	HP Black Managed Laser Jet Toner Cartridge (~23,000 pages) W9008MC
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)
Energy star certified	Yes
Energy efficiency compliance ¹⁰	Blue Angel; EPEAT® Silver; CECP; ENERGY STAR® qualified
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)
Software included	No software solutions are included in the Box, only on http://hp.com, http://123.hp.com
Fonts and typefaces	105 internal True Type fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type);2 Internal Windows Vista 8 Fonts (Calibri, Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS Majave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Driver, Supported Operating systems, For more information on the supported operating Systems section, UPD PCL6 / PS Printer Driver, Supported Operating systems, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Support Systems section, UPD PCL6 / PS Printer Drivers, Supp
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Clirix Server 2018 R2, Remote Desktop server 2012 R2, Clirix Server 6, Novelli IPrint server, Clirix Ready Kit Certification - Up to Clirix Server 7.18 for more information see http://clirixready.clirix.com, nore information see http://clirixready.clirix.com, oncome information see http://clirixready.clirix.com, server 2018 R2, Remote Desktop server 2012 R2, Comparison of the proventing of the provide server 2018 R2, Pailover Cluster 2012 R2, Terminal server, Clirix Server 7, 18 for more information see http://clirixready.clirix.com, Operating systems please see http://hp.com/go/upd
Minimum system requirements	PC:2 GB available hard disk space, Internet connection, USB port, Internet browser. (For Additional OS hardware requirements see microsoft.com); Mac: 2 GB Available hard drive Space, Internet connection or USB port, OS hardware requirements see apple.com
Power ^{12 13}	Power supply type: Bullit-in 1150 or 220V Power Supply: Power supply required: Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 + 61 Kz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 + 61 Kz nominal (+/-3 Hz), 7.5 K; Input voltage: 220 V to 240 V nominal (+/-10%), 50 + 61 Kz nominal (+/-10\%), 50 + 61 Kz nominal (+/-10
Acoustics ¹⁴	Acoustic power emissions: 6.8 B(A)
Operating environment	Operating temperature range: 59 to 86°F; Recommended operating temperature: 63.5 to 77°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-EAP:EAP-ILS); SNMPQ3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Farse; SSLIT(S (HTTPS); Encrypted Credentials; Device: Security (Dack Solt; USB part Landware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity; Checking with self-healing capability; Whitelisting - loads only known good code (DLLS, EXEs); Connection Inspector - helps ensure network connections to device are afer, Security management: Compatible with HP JetAdvantage Security Manager, HP Printer Security Plugin for Microsoft SCCM, Device Security Dyslog Messages processed and accessable in ArcSight, Splunk, and McAfee(ESM) SIEMS

¹ In box cartridge yields 5,000 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.
² With print cartridges
³ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.
⁴ To enable HP Boards maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
⁶ HP recommends that the number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
⁶ HP recommends that the number of pages per month of imaged output. This value on content, PC, media orientation, and media type.
⁶ Measured using ISO/LE7 2473. excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exast speed varies depending on the system configuration, software application, driver, and document complexity.
⁹ Measured using ISO/LE7 2473. excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exast speed varies depending on the system configuration, software application, driver, and document complexity.
¹⁰ PEAT* registered where applicable. EPEAT registration varies by country. See http://www.hp.com/go/printerclaims. Exast speed varies depending on the system configuration, software applicable. Style do measurement of

To learn more, visit hp.com

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

