

This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.¹

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.¹





The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.³
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.



High-speed performance meets energy efficiency


- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page in as quickly as 7.9 seconds.²
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁴
- · Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.



Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.

Product Walkaround



At a glance

Model (product number)	MFP E62655dn (3GY14A)
Functions	Print, copy, scan, fax (optional)
Print speeds (A4) ³	Up to 52 pages per minute (ppm)
Scan speeds (A4, black and colour) ⁴	Simplex: Up to 69 ppm Duplex: Up to 111 images per minute (ipm)
First page out (A4)	From ready: ⁵ As fast as 5.3 seconds From sleep: ⁶ As fast as 7.9 seconds
100-sheet multipurpose tray 1, 550-sheet tray 2	✓
Input capacity (standard/maximum ⁸)	Up to 650/3,750 sheets
Managed Cartridge yield ⁹	Black: ~50,000 pages
Recommended Monthly Page Volume ¹⁰	5,000 to 40,000 pages
Recommended Monthly Scan Volume ¹¹	14,000 to 24,000 pages
HP High Performance Secure Hard Disk	Optional
Wireless direct ¹² /NFC touch-to-print ¹³ /BLE ¹⁴	Optional
Wireless networking ¹⁵	Optional

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
2 An administrator must enable the easy-access USB port before use.
3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, oritoware application, driver, and document complexity.
4 Scan speed measured from ADF at default 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
5 Measured using ISO/IEC 17529. Exact speed varies depending on the system configuration, software application, driver, document complexity, Learn more at hp.com/go/printerclaims.
6 Measured after 15 minutes in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep.
7 The HP Laserlet Managed MFP E62655ch comes standard with the 100-sheet multipurpose tray 1 and 550-sheet paper feeders; and and cabinet, 3x550-sheet paper feeder and stand, or 1x550 and 2,000-sheet HDI feeder and stand) and up to one additional optional 550-sheet paper feeders; or add one of the other optional accessories support media sizes up to 216 x 356 mm.
8 Purchase of optional paper trays required to reach maximum input capacity.
9 Average black declared yleids based on 150/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. HP Managed Cartridges are not included in printer purchase; purchase separately.
9 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
14 HP recommends that the number of scanned pages per month be within the stated range for optimum device performance, bas

Technical specifications

5 1 4	UP AND UP STANKED	
Product name Product number	HP Laser Jet Managed MFP E62655dn 3GY14A	
Functions	Print, Copy, Scan and optional Fax	
Print		
Duplex printing	Automatic (standard)	
Print speed ¹¹	Black (A4, normal) Up to 52 ppm; Black (A4, duplex): Up to 50 ipm; Black (letter, normal): Up to 55 ppm; Black (letter, duplex): Up to 53 ipm	
First page out ¹²	Black (A4, ready): As fast as 5.3 sec; Black (A4, sleep): As fast as 7.9 sec	
Print technology	Laser	
Print resolution Print resolution technology	Black (best) : Up to 1200 x 1200 dpi; Black (normal) : FastRes1200 FastRes 1200; 1200 x 1200 dpi	
Print cartridges number	1 (black)	
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)	
Scan	in onwelser into other comparison daily. Other occupyment daily introger integral many numbered by	
Scan speed ¹⁸	Normal (A4): Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color); Duplex (A4): Up to 111 ipm (b&w), up to 111 ipm (color)	
Scanner specifications	Scanner type Flatbed, ADF; Scan technology. Charge Coupled Device (CCD); Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy; E-mail; Save to Nutwork Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications, HP Scan or user application via TWAIN; Duplex ADF scanning; Yes, single pass duplex scanning; Scan size maximum (ADF): 216 x 864 mm; Scan size maximum (flatbed): 216 x 356 mm; Optical scan resolution: Up to 600 dpi; Enhanced Scan Resolution: Up to 600 dpi; Hardware resolution: Up to	
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	
Сору		
Copy speed ²⁰	Black (A4, normal): Up to 52 cpm; Black (letter, normal): Up to 55 cpm; Black (A4, duplex): Up to 50 cpm; Black (letter, duplex): Up to 53 cpm	
First copy out	Black (A4, ready): As fast as 4.9 sec; Black (A4, sleep): As fast as 10.4 sec; Black (letter, ready): As fast as 4.8 sec Copier settings: Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build,	
Connectivity Connectivity	edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies	
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket	
Mobile printing capability ⁶	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing	
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 3 GB MAX memory, when Accessory DIMM is installed	
Hard disk	16 GB EMMC Standard. The optional 500GB Encrypted Hard Disk(BSL29A) is only for Upgrade and Replacement.	
Processor speed Paper handling	1.2 GHz	
Duty cycle (monthly)	Duty cycle (monthly, A4): Up to 450,000 pages; Recommended monthly page volume: 5,000 to 40,000	
Input capacity	100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder; Optional 550-sheet paper feeder, 550-sheet feeder with stand and cabinet, 2000-sheet feeder high capacity input with 550-sheet paper feeder and stand, optional 3 x 550-sheet feeder and stand, optional envelope feeder	
Output capacity	500-sheet ouput feeder, two-sided printing	
Number of paper trays	Standard: 2; Maximum: 6	
Media types Media weight	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope	
Media size	Feeder 1: 60 to 199 g/m²; feeder 2: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mm; Supported (metric): Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double): Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double): Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double): Optional 2000-sheet tray: A4; Optional 75-envelope feeder: B5, C5, C6, DL; Automatic Duplexer: A4, A5, RA4, B5 (JIS), Oficio (216 x 340 mm), 16K; ADF. Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in, 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 25 x 8 in; 68 x 34 in	
Printer dimensions (W x D x H)	512 x 558 x 640 mm	
Printer weight ³	33.18 kg	
Software included What's in the box ²	No software solutions are included in the Box, only on http://hp.com, http://np.com HP Color LaserJet Printer; HP Original LaserJet Toner Cartridge (toner cartridge installed); Documentation (Hardware Install Guide); Power cord; Fixed-Size Cassette Guides	
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning	
Systems	service and support options in your region. (wty code 4G)	
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/go/upd	
Minimum system requirements	Windows : 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac : 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com	
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted DPF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	
Display Power ⁴	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu) Requirements: Input voltage: 100V to 127V nominal (+/-19%), 50 - 60Hz nominal (+/-3Hz), 12 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 6 A; Consumption: 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off); Typical Electricity Consumption (TEO) ⁸ . ES: 2.348 kWh/week; BA: 2.219 kWh/week; Power supply type: Built-in 115V or 220V Power Supply	
Operating environment	Operating temperature range: 10 to 80% RH; Recommended operating temperature range: 15 to 27°C Operating humidity range: 10 to 80% RH; Recommended operating temperature range: 30 to 70% RH	
Acoustics	Acoustic power emissions: 7.0 B(A); Acoustic power emissions (ready): 3.5 B(A); Acoustic pressure emissions: 56 dB(A); Acoustic pressure emissions bystander (ready): Inaudible	
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 602479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.	
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x	

Ordering information

Accessories

Number	Description
2EH31A	HP MFP Analog Fax Accessory 700
J8031A	HP Jetdirect 2900nw Print Server
X3D03A	HP Universal USB Proximity Card Reader
J8J93A	HP LaserJet 3x550-sheet Paper Feeder with Cabinet
J8J92A	HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand
J8J91A	HP LaserJet 1x550 Paper Feeder and Cabinet
J8J90A	HP LaserJet Envelope Feeder
J8J89A	HP LaserJet 550-sheet Feeder Tray
E5K49A	HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
B5L31A	HP Foreign Interface Harness
B5L29A	HP High-Performance Secure Hard Disk
B5L28A	HP Internal USB Ports
5UT59A	HP MFP Analog Fax Accessory 701
4QL32A	HP Legic Secure USB Reader
Y7C05A	HP HIP2 Keystroke Reader

HP Care Packs

Number	Description
U9NM8E	HP 3 year Next Business Day w/DMR Service for LaserJet MFP E625xx E626xx Managed
U9NM9E	HP 4 year Next Business Day w/DMR Service for LaserJet MFP E625xx E626xx Managed
U9NN0E	HP 5 year Next Business Day w/DMR Service for LaserJet MFP E625xx E626xx Managed
U9NN1E	HP 3 year 4 hour 9x5 w/DMR Service for LaserJet MFP E625xx E626xx Managed
U9NN2E	HP 4 year 4 hour 9x5 w/DMR Service for LaserJet MFP E625xx E626xx Managed
U9NN3E	HP 5 year 4 hour 9x5 w/DMR Service for LaserJet MFP E625xx E626xx Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Supported paper

Contact HP via phone: Asia: 65 6253 8500

















Original HP ink cartridges and maintenance supplies

Number Description

W9004MC $\,$ HP Black Managed LaserJet Toner Cartridge (Up to 50,000 pages)

J8J87A HP LaserJet 110V Maintenance Kit J8J88A HP LaserJet 220V Maintenance Kit

HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Solutions

For more solutions information, please visit hp.com/go/gsc

Footnotes

- ¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/qo/PrintersThatProtect. For more information: http://www.hp.com/qo/printersecurityclaims
- ² Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
 ³ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
- ⁴ Based on the reduced energy use of HP LaserJet printers and cartridges with JetIntelligence introduced since 2015 compared to previous toner versions without JetIntelligence, using EnergyStar methodology. ⁵ HP Black Managed LaserJet Toner Cartridge not included; please purchase separately.
- 6 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Technical specifications disclaimers

- 1 EPEAT® registered where applicable, EPEAT registration varies by country. See http://www.epeat.net for registration status by country
- ² Standard cartridges included; yields 11,000 black pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- 3 With print cartridges
 4 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device
- 5 Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- ⁶ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit
- http://hp.com/go/roam

 7 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups
- 8 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ⁹ HP recommends that the number of scanned pages per month be within the stated range for optimum device performance. ¹⁰ FCC Class A emissions for use in commercial environments, not residential environments.
- 11 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 12 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ¹³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 ¹⁴ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
- 15 First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.

To learn more, visit hp.com

